


GF JRG Sanipex MT ball valve d20

1158154

- Material: gunmetal, plastic
- Temperature: max. -20°C / +95°C (water, compressed air, vacuum)
- Connection: cone grip unions



About GF JRG Sanipex MT ball valve

Specification

- Wide product range
- Gunmetal body

Application

Potable water installations

Certification

UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

GF JRG Sanipex MT ball valve d20

1158154



Measurements

Inner_diameter_di	20
Length (l1)	84
Z Measurement h	49
z1	31
Z2	31

Product code

Item no EAN	7613263101204
Item no GF	351620310
Item no GTIN	07613263101204
Item no LVI	1749152
Item no RSK	4510180

Dimensions

Item Unit Height	34
Item Unit Length	139
Item Unit Weight	0,308
Item Unit Width	66
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900237901
Packaging Height PL1	34
Packaging Length PL1	139
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,000311916
Packaging Weight PL1	0,311
Packaging Width PL1	66

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com