


## GF JRG Sanipex MT ball valve d20

**1158154**

- Material: gunmetal, plastic
- Temperature: max. -20°C / +95°C (water, compressed air, vacuum)
- Connection: cone grip unions



### About GF JRG Sanipex MT ball valve

#### Specification

- Wide product range
- Gunmetal body

#### Application

Potable water installations

#### Certification


UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

## GF JRG Sanipex MT ball valve d20

**1158154**



### Measurements

Inner_diameter_di	20
Length (l1)	84
Z Measurement h	49
z1	31
Z2	31

### Product code

Item no EAN	7613263101204
Item no GF	351620310
Item no GTIN	07613263101204
Item no LVI	1749152
Item no RSK	4510180

### Dimensions

Item Unit Height	34
Item Unit Length	139
Item Unit Weight	0,308
Item Unit Width	66
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900237901
Packaging Height PL1	34
Packaging Length PL1	139
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,000311916
Packaging Weight PL1	0,311
Packaging Width PL1	66

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)