


GF JRG Sanipex MT reduction 26-16 10bar

1158305

Description: for JRG Sanipex d16/20, JRG Sanipex MT Pipes

Material: PPSU, PA

Connection: cone grip union



About GF JRG Sanipex MT reduction

Specification

- The JRG Sanipex MT system is characterised by its high corrosion resistance. The design
- of the pipe connection is free of dead spaces and, in addition to multiple safety features,
- the system offers full flow capacity without cross-sectional constriction. JRG Sanipex MT
- threaded connections are detachable and reusable.

Application


- Application area Cold and hot water, HVAC, compressed air, greywater
-
- Installation Surface and flush-mounted installations throughout the building

Certification

- 4,1

GF JRG Sanipex MT reduction 26-16 10bar

1158305



Measurements

Inner_diameter_di	26
Length (l1)	70,5
z1	41

Product code

Item no EAN	7613263029140
Item no GF	351626926
Item no GTIN	07613263029140
Item no LVI	1749113
Item no RSK	1874087

Dimensions

Item Unit Height	40
Item Unit Length	75
Item Unit Weight	0,05
Item Unit Width	40
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900338189
Packaging GTIN PL2	06414900338196
Packaging Height PL1	42
Packaging Height PL2	70
Packaging Length PL1	76
Packaging Length PL2	100
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Bag
Packaging Volume PL1	0,000134064

Packaging Volume PL2	0,0007
Packaging Weight PL1	0,052
Packaging Weight PL2	0,5
Packaging Width PL1	42
Packaging Width PL2	100

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb