


## GF JRG Sanipex MT ball valve d32

**1158345**

- Material: gunmetal, plastic
- Temperature: max. -20°C / +95°C (water, compressed air, vacuum)
- Connection: cone grip unions



### About GF JRG Sanipex MT ball valve

#### Specification

- Wide product range
- Gunmetal body

#### Application

Potable water installations

#### Certification


UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

## GF JRG Sanipex MT ball valve d32

1158345



### Measurements

Inner_diameter_di	32
Length (l1)	125
Z Measurement h	71
z1	42
Z2	42

### Product code

Item no EAN	7613263101228
Item no GF	351632310
Item no GTIN	07613263101228
Item no LVI	1749154
Item no RSK	4510182

### Dimensions

Item Unit Height	100
Item Unit Length	220
Item Unit Weight	0,933
Item Unit Width	53
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900065832
Packaging Height PL1	100
Packaging Length PL1	220
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00121
Packaging Weight PL1	0,943
Packaging Width PL1	55

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com