


GF JRG Sanipex MT ball valve d32

1158345

- Material: gunmetal, plastic
- Temperature: max. -20°C / +95°C (water, compressed air, vacuum)
- Connection: cone grip unions



About GF JRG Sanipex MT ball valve

Specification

- Wide product range
- Gunmetal body

Application

Potable water installations

Certification

UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

GF JRG Sanipex MT ball valve d32

1158345



Measurements

Inner_diameter_di	32
Length (l1)	125
Z Measurement h	71
z1	42
Z2	42

Product code

Item no EAN	7613263101228
Item no GF	351632310
Item no GTIN	07613263101228
Item no LVI	1749154
Item no RSK	4510182

Dimensions

Item Unit Height	100
Item Unit Length	220
Item Unit Weight	0,933
Item Unit Width	53
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900065832
Packaging Height PL1	100
Packaging Length PL1	220
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00121
Packaging Weight PL1	0,943
Packaging Width PL1	55

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb