


## GF JRG Sanipex MT reduction 32-16 10bar

**1158384**

Description: for JRG Sanipex d16/20, JRG Sanipex MT Pipes

Material: PPSU, PA

Connection: cone grip union



### About GF JRG Sanipex MT reduction

#### Specification

- The JRG Sanipex MT system is characterised by its high corrosion resistance. The design
- of the pipe connection is free of dead spaces and, in addition to multiple safety features,
- the system offers full flow capacity without cross-sectional constriction. JRG Sanipex MT
- threaded connections are detachable and reusable.

#### Application


- Application area Cold and hot water, HVAC, compressed air, greywater
- 
- Installation Surface and flush-mounted installations throughout the building

#### Certification

- 4,1

## GF JRG Sanipex MT reduction 32-16 10bar

1158384



### Measurements

Inner_diameter_di	32
Length (l1)	82,0
z1	52

### Product code

Item no EAN	7613263028655
Item no GF	351632925
Item no GTIN	07613263028655
Item no LVI	1749115
Item no RSK	1874089

### Dimensions

Item Unit Height	50
Item Unit Length	90
Item Unit Weight	0,075
Item Unit Width	50
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900065979
Packaging Height PL1	52
Packaging Length PL1	90
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00024336
Packaging Weight PL1	0,085
Packaging Width PL1	52

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)