


GF JRG Sanipex MT reduction 32-20 10bar

1158385

Description: for JRG Sanipex d16/20, JRG Sanipex MT Pipes

Material: PPSU, PA

Connection: cone grip union



About GF JRG Sanipex MT reduction

Specification

- The JRG Sanipex MT system is characterised by its high corrosion resistance. The design
- of the pipe connection is free of dead spaces and, in addition to multiple safety features,
- the system offers full flow capacity without cross-sectional constriction. JRG Sanipex MT
- treated connections are detachable and reusable.

Application


- Application area Cold and hot water, HVAC, compressed air, greywater
-
- Installation Surface and flush-mounted installations throughout the building

Certification

- 4,1

GF JRG Sanipex MT reduction 32-20 10bar

1158385



Measurements

Inner_diameter_di	32
Length (l1)	87,0
z1	50

Product code

Item no EAN	7613263028648
Item no GF	351632926
Item no GTIN	07613263028648
Item no LVI	1749116
Item no RSK	1874090

Dimensions

Item Unit Height	50
Item Unit Length	90
Item Unit Weight	0,075
Item Unit Width	50
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900065986
Packaging Height PL1	52
Packaging Length PL1	95
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00025688
Packaging Weight PL1	0,085
Packaging Width PL1	52

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb