


GF JRG Sanipex MT ball valve d40

1158415

- Material: gunmetal, plastic
- Temperature: max. -20°C / +95°C (water, compressed air, vacuum)
- Connection: cone grip unions



About GF JRG Sanipex MT ball valve

Specification

- Wide product range
- Gunmetal body

Application

Potable water installations

Certification

UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

GF JRG Sanipex MT ball valve d40

1158415



Measurements

Inner_diameter_di	40
Length (l1)	125
Z Measurement h	75
z1	49
Z2	49

Product code

Item no EAN	7613263101235
Item no GF	351640310
Item no GTIN	07613263101235
Item no LVI	1749155
Item no RSK	4510183

Dimensions

Item Unit Height	100
Item Unit Length	235
Item Unit Weight	1,547
Item Unit Width	65
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900066235
Packaging Height PL1	108
Packaging Length PL1	218
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00153036
Packaging Weight PL1	1,55
Packaging Width PL1	65

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb