


## GF JRG Sanipex MT reduction 63-50 10bar

**1158539**

Description: for JRG Sanipex d16/20, JRG Sanipex MT Pipes

Material: PPSU, PA

Connection: cone grip union



### About GF JRG Sanipex MT reduction

#### Specification

- The JRG Sanipex MT system is characterised by its high corrosion resistance. The design
- of the pipe connection is free of dead spaces and, in addition to multiple safety features,
- the system offers full flow capacity without cross-sectional constriction. JRG Sanipex MT
- threaded connections are detachable and reusable.

#### Application


- Application area Cold and hot water, HVAC, compressed air, greywater
- 
- Installation Surface and flush-mounted installations throughout the building

#### Certification

- 4,1

## GF JRG Sanipex MT reduction 63-50 10bar

1158539



### Measurements

Inner_diameter_di	63
Length (l1)	158,0
z1	77

### Product code

Item no EAN	7613263039019
Item no GF	351663827
Item no GTIN	07613263039019
Item no LVI	1749124
Item no RSK	1880959

### Dimensions

Item Unit Height	95
Item Unit Length	165
Item Unit Weight	0,43
Item Unit Width	95
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900066846
Packaging Height PL1	95
Packaging Length PL1	165
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,001489125
Packaging Weight PL1	0,432
Packaging Width PL1	95

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)