

## Uponor Ecoflex Thermo connection set Twin HP 2x32x2,9-2x32x3,5/140 L=15M

### 1161404

- Point-to-point heat-pump connection pipe, heating and cooling
- Set includes
  - Ecoflex Thermo Twin HP heating pipe
  - 6 bar at 80°C
  - 2 Quattro rubber end caps
  - 4 Wipex Couplings
  - 30m of Trench warning tape
  - Order on full pallet



### About Uponor Ecoflex Thermo connection set Twin HP

#### Specification

- Heating and Cooling
- PE-Xa carrier pipe with oxygen barrier, SDR 11
- Max. load 6 bar / 80°C
- PEX foam, HDPE casing

#### Application

- Buried services for the transport of heating or cooling water.
- Heating operating temperature 80°C based on BS EN 15632

#### Certification

-

## Uponor Ecoflex Thermo connection set Twin HP 2x32x2,9-2x32x3,5/140 L=15M

1161404



### Status

Item Available From date 2026-03-01

### Product code

Item no EAN 6414900330749

Item no GTIN 06414900330749

### Dimensions

Item Unit Height 1700

Item Unit Length 1550

Item Unit Weight 27,52

Item Unit Width 386

Item\_UOM set

### Packaging

Packaging GTIN PL1 06414900330992

Packaging GTIN PL4 06414900331050

Packaging Height PL1 1726

Packaging Height PL4 1870

Packaging Length PL1 1563

Packaging Length PL4 1600

Packaging Quantity PL1 1

Packaging Quantity PL4 3

Packaging Type PL1 Base\_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 1,087188414

Packaging Volume PL4 3,5904

Packaging Weight PL1 35,04

Packaging Weight PL4 123,087

Packaging Width PL1 403

Packaging Width PL4

1200

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)