


## Uponor Siccus Panel Mini 1200x600x15mm

**1161845**

- EPS panel 1.200x600x15mm
- With full-face heat transfer layer of Aluminium
- With integrated pipe grooves c-c 100mm
- For use with Uponor Comfort Pipe Minitec 9,9



### About Uponor Siccus Panel Mini

#### Specification

- Siccus Mini is a low-profile, dry installation UFH system
- Full-surface integrated, aluminium heat conducting layer according to BS EN 1264; design B
- For installation with Uponor Comfort PE-X Pipe 9.9mm

#### Application

- Radiant underfloor heating and cooling for dry-build installations
- Direct floor application


#### Certification

Certification Siccus mini

- DINCERTCO 7F531-F (floating laminate)
- DINCERTCO 7F532-F (direct flooring with wood parquet)
- DINCERTCO 7F533-F (direct flooring with ceramic tiles, natural stone)
- DINCERTCO 7F534-F (gypsum fiber layer for vinyl and carpet)

## Uponor Siccus Panel Mini 1200x600x15mm

1161845



### Status

Item Available From date

2026-03-01

### Product code

Item no EAN 6414900331784

Item no GTIN 06414900331784

### Dimensions

Item Unit Height 15

Item Unit Length 1200

Item Unit Weight 1,08

Item Unit Width 600

Item\_UOM m<sup>2</sup>

### Packaging

Packaging GTIN PL1 06414900510745

Packaging GTIN PL4 06414900510820

Packaging Height PL1 168

Packaging Height PL4 1311

Packaging Length PL1 1210

Packaging Length PL4 1225

Packaging Quantity PL1 7.2

Packaging Quantity PL4 100.8

Packaging Type PL1 Base\_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,1240008

Packaging Volume PL4 2,0235285

Packaging Weight PL1 8,67

Packaging Weight PL4 146,38

Packaging Width PL1 610

Packaging Width PL4 1260

## Measurements

Z Measurement b	600
Z Measurement h	15

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E

customerservice.uk.bfs@georgfi  
scher.com