


Uponor Siccus Mini Panel Blank 1200x600x15mm

1161846

- EPS panel 1.200x600x15mm
- Without heat transfer layer of Aluminium



About Uponor Siccus Mini Panel Blank

Specification

- Siccus Mini is a low-profile, dry installation UFH system
- Full-surface integrated, aluminium heat conducting layer according to BS EN 1264; design B
- For installation with Uponor Comfort PE-X Pipe 9.9mm

Application


- Radiant underfloor heating and cooling for dry-build installations
- Direct floor application

Certification

- Certification Siccus mini
- DINCERTCO 7F531-F (floating laminate)
 - DINCERTCO 7F532-F (direct flooring with wood parquet)
 - DINCERTCO 7F533-F (direct flooring with ceramic tiles, natural stone)
 - DINCERTCO 7F534-F (gypsum fiber layer for vinyl and carpet)

Uponor Siccus Mini Panel Blank 1200x600x15mm

1161846



Status

Item Available From date

2026-03-01

Product code

Item no EAN 6414900331791

Item no GTIN 06414900331791

Dimensions

Item Unit Height 15

Item Unit Length 1200

Item Unit Weight 0,85

Item Unit Width 600

Item_UOM m²

Packaging

Packaging GTIN PL1 06414900510769

Packaging GTIN PL4 06414900510837

Packaging Height PL1 74

Packaging Height PL4 1245

Packaging Length PL1 1210

Packaging Length PL4 1225

Packaging Quantity PL1 2.88

Packaging Quantity PL4 86.4

Packaging Type PL1 Base_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,0546194

Packaging Volume PL4 1,9216575

Packaging Weight PL1 3,15

Packaging Weight PL4 119,56

Packaging Width PL1 610

Packaging Width PL4 1260

Measurements

Z Measurement b	600
Z Measurement h	15

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb