


## Uponor Siccus Panel Mini 1200x600x15mm 7,2M2

**1161847**

- EPS panel 1.200x600x15mm
- With full-face heat transfer layer of Aluminium
- With integrated pipe grooves c-c 100mm
- For use with Uponor Comfort Pipe Minitec 9,9



### About Uponor Siccus Panel Mini

#### Specification

- Siccus Mini is a low-profile, dry installation UFH system
- Full-surface integrated, aluminium heat conducting layer according to BS EN 1264; design B
- For installation with Uponor Comfort PE-X Pipe 9.9mm

#### Application

- Radiant underfloor heating and cooling for dry-build installations
- Direct floor application


#### Certification

Certification Siccus mini

- DINCERTCO 7F531-F (floating laminate)
- DINCERTCO 7F532-F (direct flooring with wood parquet)
- DINCERTCO 7F533-F (direct flooring with ceramic tiles, natural stone)
- DINCERTCO 7F534-F (gypsum fiber layer for vinyl and carpet)

## Uponor Siccus Panel Mini 1200x600x15mm 7,2M2

1161847



### Status

Item Available From date 2026-03-01

### Product code

Item no EAN	6414900331807
Item no GTIN	06414900331807
Item no LVI	2022365
Item no RSK	2993172

### Dimensions

Item Unit Height	150
Item Unit Length	1200
Item Unit Weight	7,82
Item Unit Width	600
Item_UOM	set

### Packaging

Packaging GTIN PL1	06414900510776
Packaging GTIN PL4	06414900510844
Packaging Height PL1	168
Packaging Height PL4	1311
Packaging Length PL1	1210
Packaging Length PL4	1225
Packaging Quantity PL1	1
Packaging Quantity PL4	14
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,1240008
Packaging Volume PL4	2,0235285
Packaging Weight PL1	8,67
Packaging Weight PL4	146,38
Packaging Width PL1	610
Packaging Width PL4	1260

## Measurements

Z Measurement b	600
Z Measurement h	15

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E

customerservice.uk.bfs@georgfi  
scher.com