


Uponor Siccus 16 Panel Blank 1200x600x20mm

1161882

- Installation panel without heat transfer layer of Aluminium



About Uponor Siccus 16 Panel Blank

Specification

- Siccus 16 underfloor heating panel system, consists of EPS (HBCD-free) boards acc. EN 13163 with Aluminium foil.
- Fire class E to BS EN 13501-1
- Application type acc. DIN 4108-10: DEO
- life load acc. EN 1991-1-1 = 2,0 kN/m²
- for installations with pipe c-c 150mm
- for pipe dim 16mm

Application


- Radiant underfloor heating and cooling
- For dry-build installations

Certification

- DIN CERTCO

Uponor Siccus 16 Panel Blank 1200x600x20mm

1161882



Product code

Item no EAN 6414900331913

Item no GTIN 06414900331913

Dimensions

Item Unit Height 20

Item Unit Length 1200

Item Unit Weight 1,13

Item Unit Width 600

Item_UOM m²

Packaging

Packaging GTIN PL1 06414900510790

Packaging GTIN PL4 06414900510868

Packaging Height PL1 94

Packaging Height PL4 1263

Packaging Length PL1 1210

Packaging Length PL4 1225

Packaging Quantity PL1 2.88

Packaging Quantity PL4 69.12

Packaging Type PL1 Base_Box

Packaging Type PL4 Pallet

Packaging Volume PL1 0,0693814

Packaging Volume PL4 1,9494405

Packaging Weight PL1 4,02

Packaging Weight PL4 121,43

Packaging Width PL1 610

Packaging Width PL4 1260

Measurements

Z Measurement b 600

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb