


## Uponor Vario compression adapter PEX 17x2,0-G3/4"FT Euro

1162321

- Eurocone
- Brass



### About Uponor Vario compression adapter PEX

#### Specification


- Components made of brass, nickel-plated brass, steel, and engineered plastics
- Eurocone, threaded, and flat-sealing connections
- Compatible with Vario B, C, S, M, PLUS, and MAGNA manifolds
- Includes valves, flowmeters, air vents, actuators, and adapters
- Designed for heating and cooling applications

#### Application

- To compliment/extend Vario manifold installations
- Flow regulation, balancing, and shut-off
- Connection of PEX, MLCP, and composite pipes
- Integration of actuators, sensors, and control units
- Commissioning, maintenance, and system optimization

## Uponor Vario compression adapter PEX 17x2,0-G3/4"FT Euro

1162321



### Measurements

Cylindric_thread_G	3/4
LENGTH_L	22,5
Length (l1)	12,9
Wall thickness_s	2,0
z1	3,2

### Product code

Item no EAN	6414900394246
Item no GTIN	06414900394246

### Dimensions

Item Unit Height	33
Item Unit Length	22.5
Item Unit Weight	0,054
Item Unit Width	33
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900653633
Packaging GTIN PL3	06414900653657
Packaging Height PL1	27
Packaging Height PL3	89
Packaging Length PL1	30
Packaging Length PL3	176
Packaging Quantity PL1	1
Packaging Quantity PL3	25
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Volume PL1	0,0000243
Packaging Volume PL3	0,00211464

Packaging Weight PL1	0,061
Packaging Weight PL3	1,564
Packaging Width PL1	30
Packaging Width PL3	135

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com