


GF Hycleen Balance balancing valve DN15

1162345

- Description: digital hydraulic balancing valve
- Temperature: delivery state: 57°C (setting range: 0-90°C), thermal disinfection (60-90°C)
- Nominal pressure: PN10
- Material: material: Gunmetal lead-free (RG+), stainless steel, EPDM



About GF Hycleen Balance balancing valve

Specification


- Dimension range DN 15 & 20
- Power supply, serial cabling
- Access via smartphone app

Application

- Potable water hot circulation (DHW-C)

GF Hycleen Balance balancing valve DN15

1162345



Status

Item Available From date

2026-03-01

Product code

Item no EAN

6414900394482

Item no GF

351112115

Item no GTIN

06414900394482

Item no LVI

2022396

Dimensions

Item Unit Height

95

Item Unit Length

120

Item Unit Weight

0,673

Item Unit Width

63

Item_UOM

pce

Packaging

Packaging GTIN PL1

06414900394499

Packaging Height PL1

100

Packaging Length PL1

225

Packaging Quantity PL1

1

Packaging Type PL1

Base_Box

Packaging Volume PL1

0,003375

Packaging Weight PL1

0,8

Packaging Width PL1

150

Measurements

Z Measurement d1

1/2

Z Measurement d2

1/2

Z Measurement d3

M8

Z Measurement d3

M8

Z Measurement h

80

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb