


Uponor Ecoflex Cap for HP cable conduit 32mm

1164764

- Used to cap and protect 32mm HP conduit pipe
- Set includes:
 - 2 rubber end caps
 - 2 cable ties



About Uponor Ecoflex Cap for HP cable conduit

Specification

- Heating and Cooling
- PE-Xa carrier pipe with oxygen barrier, SDR 11
- Max. load 6 bar / 80°C
- PEX foam, HDPE casing

Application


- Buried services for the transport of heating or cooling water.
- Heating operating temperature 80°C based on BS EN 15632

Certification

-

Uponor Ecoflex Cap for HP cable conduit 32mm

1164764



Measurements

Inner_diameter_di	32
Inner_diameter_di1	4,85
LENGTH_L	49,7
Length (l1)	25

Product code

Item no EAN	6414900337076
Item no GF	35001164764
Item no GTIN	06414900337076

Dimensions

Item Unit Height	35.8
Item Unit Length	77.1
Item Unit Weight	0,026
Item Unit Width	35.8
Item_UOM	set

Technical data

Recycling Text Block PL1	plastic film / film plastico
--------------------------	------------------------------

Packaging

Packaging GTIN PL1	06414900546461
Packaging Height PL1	36
Packaging Length PL1	300
Packaging Material (number) PL1	04
Packaging Material PL1	plastic film / film plastico
Packaging Material (short) PL1	PELD
Packaging Quantity PL1	1
Packaging Type PL1	POUCH
Packaging Volume PL1	0,002592
Packaging Weight PL1	0,031

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb