


## GF Silenta HT-PP white pipe with single socket S16/S20 32x250mm

**1184620**

- White, monolayer, PP-material
- According to BS EN 1451



### About GF Silenta HT-PP white pipe with single socket S16/S20

#### Specification


- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

#### Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

## GF Silenta HT-PP white pipe with single socket S16/S20 32x250mm

1184620



### Status

Item Available From date 2026-03-01

### Product code

Item no EAN	6414900084901
Item no GF	4800003200221
Item no GTIN	06414900084901
Item no VVS	186020325

### Dimensions

Item Unit Height	32
Item Unit Length	250
Item Unit Weight	0,059
Item Unit Width	32
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900085489
Packaging Height PL1	400
Packaging Length PL1	800
Packaging Quantity PL1	300
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,192
Packaging Weight PL1	19,32
Packaging Width PL1	600

### Measurements

Z Measurement d	32
Z measurement m	45

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com