


GF Silenta HT-PP white pipe with single socket S16/S20 32x1000mm

1184622

- White, monolayer, PP-material
- According to BS EN 1451



About GF Silenta HT-PP white pipe with single socket S16/S20

Specification

- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

GF Silenta HT-PP white pipe with single socket S16/S20 32x1000mm

1184622



Status

Item Available From date 2026-03-01

Product code

Item no EAN	6414900084925
Item no GF	4800003200421
Item no GTIN	06414900084925
Item no VVS	186020400

Dimensions

Item Unit Height	32
Item Unit Length	1000
Item Unit Weight	0,206
Item Unit Width	32
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900577410
Packaging Height PL1	175
Packaging Length PL1	1000
Packaging Quantity PL1	1
Packaging Type PL1	Piece
Packaging Volume PL1	0,01225
Packaging Weight PL1	2,06
Packaging Width PL1	70

Measurements

Z Measurement d	32
Z measurement m	45

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com