


GF Silenta HT-PP white pipe with single socket S16/S20 40x500mm

1184624

- White, monolayer, PP-material
- According to BS EN 1451



About GF Silenta HT-PP white pipe with single socket S16/S20

Specification

- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

GF Silenta HT-PP white pipe with single socket S16/S20 40x500mm

1184624



Status

Item Available From date 2026-03-01

Product code

Item no EAN	6414900084949
Item no GF	4800004000321
Item no GTIN	06414900084949
Item no VVS	186021350

Dimensions

Item Unit Height	40
Item Unit Length	500
Item Unit Weight	0,143
Item Unit Width	40
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900085526
Packaging Height PL1	400
Packaging Length PL1	800
Packaging Quantity PL1	140
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,192
Packaging Weight PL1	21,58
Packaging Width PL1	600

Measurements

Z Measurement d	40
Z measurement m	45

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com