


GF Silenta HT-PP white pipe with single socket S16/S20 40x1000mm

1184625

- White, monolayer, PP-material
- According to BS EN 1451



About GF Silenta HT-PP white pipe with single socket S16/S20

Specification

- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

GF Silenta HT-PP white pipe with single socket S16/S20 40x1000mm

1184625



Status

Item Available From date 2026-03-01

Product code

| | |
|--------------|----------------|
| Item no EAN | 6414900084956 |
| Item no GF | 4800004000421 |
| Item no GTIN | 06414900084956 |
| Item no VVS | 186021400 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 40 |
| Item Unit Length | 1000 |
| Item Unit Weight | 0,264 |
| Item Unit Width | 40 |
| Item_UOM | pce |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414900577434 |
| Packaging Height PL1 | 225 |
| Packaging Length PL1 | 1000 |
| Packaging Quantity PL1 | 1 |
| Packaging Type PL1 | Piece |
| Packaging Volume PL1 | 0,02025 |
| Packaging Weight PL1 | 2,64 |
| Packaging Width PL1 | 90 |

Measurements

| | |
|-----------------|----|
| Z Measurement d | 40 |
| Z measurement m | 45 |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com