


GF HT-PP white socket 40mm

1184630

- White, PP-material
- According to BS EN 1451



About GF HT-PP white socket

Specification


- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

GF HT-PP white socket 40mm

1184630



Status

Item Available From date 2026-03-01

Product code

| | |
|--------------|----------------|
| Item no EAN | 6414900085007 |
| Item no GF | 4900504000121 |
| Item no GTIN | 06414900085007 |
| Item no VVS | 186553340 |

Dimensions

| | |
|------------------|------|
| Item Unit Height | 93 |
| Item Unit Length | 55 |
| Item Unit Weight | 0,04 |
| Item Unit Width | 55 |
| Item_UOM | pce |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414900085588 |
| Packaging Height PL1 | 400 |
| Packaging Length PL1 | 800 |
| Packaging Quantity PL1 | 500 |
| Packaging Type PL1 | Base_Box |
| Packaging Volume PL1 | 0,192 |
| Packaging Weight PL1 | 21,56 |
| Packaging Width PL1 | 600 |

Measurements

| | |
|-----------------|------|
| Z Measurement d | 40,4 |
| Z measurement m | 45,1 |
| z1 | 3 |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com