


## GF HT-PP white elbow 30° 32mm

**1184634**

- White, PP-material
- According to BS EN 1451



### About GF HT-PP white elbow 30°

#### Specification


- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

#### Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

## GF HT-PP white elbow 30° 32mm

1184634



### Status

Item Available From date 2026-03-01

### Product code

Item no EAN	6414900085045
Item no GF	4900103200221
Item no GTIN	06414900085045
Item no VVS	186164332

### Dimensions

Item Unit Height	90
Item Unit Length	45
Item Unit Weight	0,02
Item Unit Width	60
Item_UOM	pce

### Measurements

Outer Diameter_do	16
Z Measurement ALPHA	30
Z Measurement d	32
Z Measurement d1	16,2
Z Measurement d2	19,9
Z Measurement e	1,8
Z Measurement f	4,6
Z Measurement L1	43
Z measurement m	41,6
z1	4,3
Z2	7,4

### Packaging

Packaging GTIN PL1	06414900085625
Packaging Height PL1	400

Packaging Length PL1	800
Packaging Quantity PL1	1000
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,192
Packaging Weight PL1	21,56
Packaging Width PL1	600

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com