


## GF HT-PP white elbow 30° 50mm

**1184636**

- White, PP-material
- According to BS EN 1451



### About GF HT-PP white elbow 30°

#### Specification

- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

#### Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

## GF HT-PP white elbow 30° 50mm

1184636



### Status

Item Available From date 2026-03-01

### Product code

Item no EAN	6414900085069
Item no GF	4900105000221
Item no GTIN	06414900085069
Item no VVS	186164350

### Dimensions

Item Unit Height	136
Item Unit Length	77
Item Unit Weight	0,055
Item Unit Width	92
Item_UOM	pce

### Measurements

Outer Diameter_do	25
Z Measurement ALPHA	30
Z Measurement d	50
Z Measurement d1	25,25
Z Measurement d2	29,95
Z Measurement e	2
Z Measurement f	8
Z Measurement L1	50
Z measurement m	47,2
z1	6,7
Z2	8,9

### Packaging

Packaging GTIN PL1	06414900085649
Packaging Height PL1	400

Packaging Length PL1	800
Packaging Quantity PL1	300
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,192
Packaging Weight PL1	18,06
Packaging Width PL1	600

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com