


GF HT-PP white elbow 45° 32mm

1184637

- White, PP-material
- According to BS EN 1451



About GF HT-PP white elbow 45°

Specification


- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

GF HT-PP white elbow 45° 32mm

1184637



Status

Item Available From date 2026-03-01

Product code

Item no EAN	6414900085076
Item no GF	4900103200321
Item no GTIN	06414900085076
Item no VVS	186154332

Dimensions

Item Unit Height	85
Item Unit Length	45
Item Unit Weight	0,03
Item Unit Width	90
Item_UOM	pce

Measurements

Outer Diameter_do	32
Z Measurement ALPHA	45
Z Measurement d	32
Z Measurement d1	16,2
Z Measurement d2	19,9
Z Measurement e	1,8
Z Measurement f	4,6
Z Measurement L1	43
Z measurement m	41,6
z1	6,6
Z2	9,7

Packaging

Packaging GTIN PL1	06414900085656
Packaging Height PL1	400

Packaging Length PL1	800
Packaging Quantity PL1	1000
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,192
Packaging Weight PL1	31,56
Packaging Width PL1	600

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com