
Product data sheet



GF JRG double nipple reduced DN15 - DN20

1184741

For Hycleen Balance and Flush
To be used for connection lockable union
Material: Gunmetal lead-free (RG+)



About GF JRG double nipple reduced

Specification


- Wide product range
- Gunmetal body

Application

Potable water installations

GF JRG double nipple reduced DN15 - DN20

1184741



Product code

Item no EAN	6414900086103
Item no GF	355635663
Item no GTIN	06414900086103
Item no RSK	4596000

Dimensions

Item Unit Height	27
Item Unit Length	30
Item Unit Weight	0,076
Item Unit Width	27
Item_UOM	pce

Measurements

LENGTH_L	30
Length (l1)	12
Length (l2)	13
Z Measurement d1	R 1/2"
Z Measurement d2	G 3/4"
z1	5

Packaging

Packaging GTIN PL1	06414900269407
Packaging Height PL1	60
Packaging Length PL1	80
Packaging Material (number) PL1	04
Packaging Material PL1	plastic film / film plastico
Packaging Material (short) PL1	PELD
Packaging Quantity PL1	1

Packaging Type PL1	Pouch
Packaging Volume PL1	7182
Packaging Weight PL1	0,078
Packaging Width PL1	60

Technical data

Recycling Text Block PL1	plastic film / film plastico

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+