
Product data sheet



GF JRG double nipple reduced DN20 - DN25

1184742

For Hycleen Balance and Flush
To be used for connection lockable union
Material: Gunmetal lead-free (RG+)



About GF JRG double nipple reduced

Specification


- Wide product range
- Gunmetal body

Application

Potable water installations

GF JRG double nipple reduced DN20 - DN25

1184742



Product code

Item no EAN	6414900086110
Item no GF	355635664
Item no GTIN	06414900086110
Item no RSK	4596001

Dimensions

Item Unit Height	34
Item Unit Length	35
Item Unit Weight	0,14
Item Unit Width	34
Item_UOM	pce

Measurements

LENGTH_L	35
Length (l1)	14
Length (l2)	15
Z Measurement d1	R 3/4"
Z Measurement d2	G 1"
z1	6

Packaging

Packaging GTIN PL1	06414900269414
Packaging Height PL1	60
Packaging Length PL1	80
Packaging Material (number) PL1	04
Packaging Material PL1	plastic film / film plastico
Packaging Material (short) PL1	PELD
Packaging Quantity PL1	1

Packaging Type PL1	Pouch
Packaging Volume PL1	0,000824
Packaging Weight PL1	0,142
Packaging Width PL1	60

Technical data

Recycling Text Block PL1	plastic film / film plastico

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+