


GF HT-PP double branch radius 87,5° 110-110mm

1185521

- Grey, PP-material
- According to BS EN 1451



About GF HT-PP double branch radius 87,5°

Specification


- Manufactured using chemical and temperature resistant Polypropylene
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- Fire class E to BS EN 13501-1
- Pipe diameters from 32 mm to 160 mm
- Wide range of fittings to give complete design freedom
- For use with GF standard Clamp fittings

Application

- Office buildings and conference halls
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications
- Ideal for pre-fabricated buildings

GF HT-PP double branch radius 87,5° 110-110mm

1185521



Status

Item Available From date

2026-03-01

Product code

Item no EAN

6414900269582

Item no GF

4901211031221

Item no GTIN

06414900269582

Dimensions

Item Unit Height

292

Item Unit Length

256

Item Unit Weight

0,514

Item Unit Width

128

Item_UOM

pce

Packaging

Packaging GTIN PL1

06414900600378

Packaging GTIN PL2

06414900653237

Packaging Height PL1

292

Packaging Height PL2

360

Packaging Length PL1

256

Packaging Length PL2

390

Packaging Quantity PL1

1

Packaging Quantity PL2

4

Packaging Type PL1

Piece

Packaging Type PL2

Medium_Box

Packaging Volume PL1

0,009568256

Packaging Volume PL2

0,040716

Packaging Weight PL1

0,514

Packaging Weight PL2

3,3972

Packaging Width PL1

128

Packaging Width PL2 290

Measurements

Z Measurement d	104,2
Z Measurement d1	113,2
Z Measurement d2	110,8
Z Measurement e	3,5
Z measurement m	58
z1	87,4
Z2	82,6
Z3	53,5

Technical documents

[Download documents here](#)

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfischer.com