


## GF Silenta 3A access pipe circular 90mm

**1185534**

- Fitting with circular screw cap for easy inspection
- Light blue, PP-material with inorganic filler
- According to BS EN 1451



### About GF Silenta 3A access pipe circular

#### Specification

- Manufactured with the latest generation of multilayer (three different layers) polypropylene technology
- System according to the requirements of BS EN 1451
- Application area B to BS EN 1451
- 15 db(A) at 4l/s - tested to BS EN 14366
- Fire class D - s2, d2 to BS EN 13501-1
- Pipe diameters from 32 mm to 200 mm
- Wide range of fittings to give complete design freedom
- For use with GF Silent Clamp range

#### Application

Applications:

Silenta 3A is suitable for various wastewater types and areas of use, including:


- High end residential, multi-family residential, hotels, healthcare, restaurants, etc
- Sustainable/green buildings
- Industrial facilities (short- and long-term use)
- Domestic sewage and rainwater
- Wastewater from kitchens, bathrooms, laundry rooms, toilets, and similar spaces

Commercial/Industrial Wastewater:

- For untreated wastewater containing harmful substances
- Guidance relating to chemical resistance of Polypropylene can be sought from ISO/TR 10358
- For full system chemical compatibility please contact GF
- Required details for assessment:
  - Substance composition
  - Concentration and pH values
  - Quantities and flow rates
  - Wastewater temperature

## GF Silenta 3A access pipe circular 90mm

1185534



### Status

Item Available From date 2026-03-01

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 6414900269711  |
| Item no GF   | 4704309030021  |
| Item no GTIN | 06414900269711 |
| Item no RSK  | 2831993        |

### Dimensions

|                  |      |
|------------------|------|
| Item Unit Height | 160  |
| Item Unit Length | 220  |
| Item Unit Weight | 0,35 |
| Item Unit Width  | 107  |
| Item_UOM         | pce  |

### Measurements

|                  |      |
|------------------|------|
| Length (l1)      | 59   |
| Z Measurement d  | 90   |
| Z Measurement d1 | 90,6 |
| Z Measurement e  | 3,4  |
| Z Measurement L1 | 59   |
| Z Measurement LB | 245  |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414900601313 |
| Packaging GTIN PL2     | 06414900653367 |
| Packaging Height PL1   | 160            |
| Packaging Height PL2   | 360            |
| Packaging Length PL1   | 220            |
| Packaging Length PL2   | 390            |
| Packaging Quantity PL1 | 1              |

|                        |            |
|------------------------|------------|
| Packaging Quantity PL2 | 8          |
| Packaging Type PL1     | Piece      |
| Packaging Type PL2     | Medium_Box |
| Packaging Volume PL1   | 0,0037664  |
| Packaging Volume PL2   | 0,040716   |
| Packaging Weight PL1   | 0,35       |
| Packaging Weight PL2   | 4,1412     |
| Packaging Width PL1    | 107        |
| Packaging Width PL2    | 290        |

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E

customerservice.uk.bfs@georgfi  
scher.com