



GF Instaflex Plug 3/4"

1185860

- Material: lead-free brass
- Connection: female thread
- For iFIT, INSTAFLEX, JRG Sanipex, JRG Sanipex MT



About GF Instaflex Plug

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas



- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex Plug 3/4"

1185860



Product code

Item no EAN	6414900225502
Item no GF	760857244
Item no GTIN	06414900225502

Dimensions

Item Unit Height	26
Item Unit Length	33
Item Unit Weight	0,058
Item Unit Width	26
Item_UOM	pce

Measurements

Male_thread_R	3/4
---------------	-----

Packaging

Packaging GTIN PL1	06414900546072
Packaging GTIN PL2	06414900546065
Packaging Height PL1	41
Packaging Height PL2	191
Packaging Length PL1	95
Packaging Length PL2	242
Packaging Quantity PL1	5
Packaging Quantity PL2	200
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,000260965
Packaging Volume PL2	0,00808885
Packaging Weight PL1	0,43
Packaging Weight PL2	11,72
Packaging Width PL1	67

Packaging Width PL2

175

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com