υροποι

HDPE corrugated sleeves

Field Information	
Job name:	Location:
Engineer:	Date submitted:
Contractor:	Submitted by:
Manufacturer's representative:	Approved by:

Technical data

Material PEHD

Product information and application use

High-density Polyethylene (HDPE) Corrugated Sleeves are used in hot and cold potable-water distribution systems, primarily in commercial applications where the potable tubing is installed in the slab. Designed for use with Uponor AquaPEX® crosslinked polyethylene (PEX-a) tubing, the sleeve provides protection during installation and allows for removal and replacement of the tubing, if necessary. This product can also be used in radiant heating and cooling systems with Wirsbo hePEXTM tubing. However, if using Uponor AquaPEX tubing (which does not have an oxygen barrier), the tubing can only be used in systems containing no ferrous corrodible components or where ferrous components are isolated from the tubing.



Part name	Part no.	Inner diameter coil [inch]	Inner diameter pipe [inch]	Outer diameter pipe [inch]	Weight per UOM [lbs/UOM]
1/2" HDPE Corrugated Sleeve, Red, 400-ft. coil	F1035400	9.02	0.815	1	17.33
1/2" HDPE Corrugated Sleeve, Blue, 400-ft. coil	F1055400	9.02	0.815	1	17.33
3/4" HDPE Corrugated Sleeve, Red, 400 ft.	F1037400	9.02	1.122	1.358	30.5
3/4" HDPE Corrugated Sleeve, Blue, 400 ft.	F1057400	9.02	1.122	1.358	30.5

Part name	Part no.	Codes	Standards	Listings
HDPE corrugated sleeves	All	-	-	UL 263 CAN/ULC-S101

InstallationRelated applicationsTie sleeving to rebar with standard steel wire or other fastening devices. Corrugated sleeves will fit in
all Uponor concrete floor tube brackets. Refer to the Uponor Professional Plumbing Installation
Guide or Radiant Heating Installation Handbook for additional information.PEX-a Plumbing Systems
Radiant Heating and Cooling Systems

Notes

Application Temperature Continuous Operation of Sleeve:

5°F (-15°C) to 158°F (70°C)

Footnotes	Contact information		
	Uponor Inc.	Uponor Ltd.	
	5925 148th Street West	6510 Kennedy Road	
	Apple Valley, MN 55124	Mississauga, ON L5T 2X4	
	T 800.321.4739	T 888.594.7726	
	F 952.891.2008	F 800.638.9517	