Conectores reductores de PP-RCT de Uponor (fusión de toma)




| Project information | |
|--------------------------------|-----------------|
| Job name: | Location: |
| Engineer: | Fecha de envío: |
| Contractor: | Presentada por: |
| Manufacturer's representative: | Approved by: |

Technical data

Material PP-RCT

Product information and application use

Use Uponor PP-RCT socket-fusion fitting reducers with Uponor PP-RCT mechanical pipe to convey water for hydronic heating and cooling or industrial applications.



| Part name | Part no. | End Type 1 | End Type 2 |
|--|-------------|---------------|---------------|
| Uponor PP-RCT Fitting Reducer, 4" x 2 1/2", SDR 11 | PR114774025 | Butt 4" | Socket 2-1/2" |
| Uponor PP-RCT Fitting Reducer, 4" x 2 1/2", SDR 17.6 | PR174774025 | Butt 4" | Socket 2-1/2" |
| Uponor PP-RCT Fitting Reducer, 4" x 3", SDR 17.6 | PR174774030 | Butt 4" | Socket 3" |
| Uponor PP-RCT Fitting Reducer, 1" x 1/2 | PR4771050 | Socket 1" | Socket 1/2" |
| Uponor PP-RCT Fitting Reducer, 1 1/4" x 1 | PR4771310 | Socket 1-1/4" | Socket 1" |
| Uponor PP-RCT Fitting Reducer, 1 1/4" x 1/2 | PR4771350 | Socket 1-1/4" | Socket 1/2" |
| Uponor PP-RCT Fitting Reducer, 1 1/4" x 3/4 | PR4771375 | Socket 1-1/4" | Socket 3/4" |
| Uponor PP-RCT Fitting Reducer, 1 1/2" x 1 | PR4771510 | Socket 1-1/2" | Socket 1" |
| Uponor PP-RCT Fitting Reducer, 1 1/2" x 1 1/4 | PR4771513 | Socket 1-1/2" | Socket 1-1/4" |
| Uponor PP-RCT Fitting Reducer, 1 1/2" x 1/2 | PR4771550 | Socket 1-1/2" | Socket 1/2" |
| Uponor PP-RCT Fitting Reducer, 2" x 1 | PR4772010 | Socket 2" | Socket 1" |
| Uponor PP-RCT Fitting Reducer, 2" x 1 1/4 | PR4772013 | Socket 2" | Socket 1-1/4" |
| Uponor PP-RCT Fitting Reducer, 2" x 1 1/2 | PR4772015 | Socket 2" | Socket 1-1/2" |
| Uponor PP-RCT Fitting Reducer, 2" x 3/4 | PR4772075 | Socket 2" | Socket 3/4" |
| Uponor PP-RCT Fitting Reducer, 2 1/2" x 1 | PR4772510 | Socket 2-1/2" | Socket 1" |
| Uponor PP-RCT Fitting Reducer, 2 1/2" x 1 1/4 | PR4772513 | Socket 2-1/2" | Socket 1-1/4" |
| Uponor PP-RCT Fitting Reducer, 2 1/2" x 1 1/2 | PR4772515 | Socket 2-1/2" | Socket 1-1/2" |
| Uponor PP-RCT Fitting Reducer, 2 1/2" x 2" | PR4772520 | Socket 2-1/2" | Socket 2" |
| Uponor PP-RCT Fitting Reducer, 2 1/2" x 1/2 | PR4772550 | Socket 2-1/2" | Socket 1/2" |
| Uponor PP-RCT Fitting Reducer, 2 1/2" x 3/4 | PR4772575 | Socket 2-1/2" | Socket 3/4" |
| Uponor PP-RCT Fitting Reducer, 3" x 1 1/2 | PR4773015 | Socket 3" | Socket 1-1/2" |
| Uponor PP-RCT Fitting Reducer, 3" x 2 | PR4773020 | Socket 3" | Socket 2" |
| Uponor PP-RCT Fitting Reducer, 3" x 2 1/2 | PR4773025 | Socket 3" | Socket 2-1/2" |
| Uponor PP-RCT Fitting Reducer, 3/4" x 1/2 | PR4777550 | Socket 3/4" | Socket 1/2" |
| Uponor PP-RCT Fitting Reducer, 1" x 3/4 | PR4771075 | Socket 1" | Socket 3/4" |
| Uponor PP-RCT Fitting Reducer, 1 1/2" x 3/4 | PR4771575 | Socket 1-1/2" | Socket 3/4" |
| Uponor PP-RCT Fitting Reducer, 4" x 3", SDR 11 | PR114774030 | Butt 4" | Socket 3" |
| Uponor PP-RCT Fitting Reducer, 4" x 2 1/2", SDR 9 | PR94774025 | Butt 4" | Socket 2-1/2" |
| | | | |

| Part name | Part no. | Codes | Standards | Listings |
|---|--------------------------------|--------------|------------------------------------|---|
| Conectores reductores de PP-RCT de Jponor (fusión de toma) | All | смс імс имс | ASTM E84 ASTM F2389 CSA B137.11 | ICC-ES-PMG 1106 IAPMO-R&T 8358 QAI P321-5 IAPMO K-1277 |
| In addition, the following parts have a | additional codes, standards, o | or listings: | | |
| Jponor PP-RCT Fitting Reducer, 4" x 21/2", SDR 11 | PR114774025 | | NSF-14 | |
| Jponor PP-RCT Fitting Reducer, 4" x 1/2", SDR 17.6 | PR174774025 | | NSF-14 | |
| Jponor PP-RCT Fitting Reducer, 4" x ", SDR 17.6 | PR174774030 | | NSF-14 | |
| Jponor PP-RCT Fitting Reducer, 1" x /2 | PR4771050 | | NSF-14 | |
| Jponor PP-RCT Fitting Reducer, 1 /4" x 1 | PR4771310 | | NSF/ANSI 14 | |
| Jponor PP-RCT Fitting Reducer, 1 /4" x 1/2 | PR4771350 | | NSF-14 | |
| Jponor PP-RCT Fitting Reducer, 1 /4" x 3/4 | PR4771375 | | NSF-14 | |
| Jponor PP-RCT Fitting Reducer, 1 /2" x 1 | PR4771510 | | NSF/ANSI 14 | |
| Jponor PP-RCT Fitting Reducer, 1 /2" x 1 1/4 | PR4771513 | | NSF/ANSI 14 | |
| Jponor PP-RCT Fitting Reducer, 1 /2" x 1/2 | PR4771550 | | NSF-14 | |
| Jponor PP-RCT Fitting Reducer, 2" x | PR4772010 | | NSF/ANSI 14 | |
| Jponor PP-RCT Fitting Reducer, 2" x 1/4 | PR4772013 | | NSF/ANSI 14 | |
| Jponor PP-RCT Fitting Reducer, 2" x 1/2 | PR4772015 | | NSF/ANSI 14 | |
| Jponor PP-RCT Fitting Reducer, 2" x 1/4 | PR4772075 | | NSF-14 | |
| Jponor PP-RCT Fitting Reducer, 2 /2" x 1 | PR4772510 | | NSF/ANSI 14 | |
| Jponor PP-RCT Fitting Reducer, 2 /2" x 1 1/4 | PR4772513 | | NSF/ANSI 14 | |
| Jponor PP-RCT Fitting Reducer, 2 /2" x 1 1/2 | PR4772515 | | NSF/ANSI 14 | |
| Jponor PP-RCT Fitting Reducer, 2 /2" x 2" | PR4772520 | | NSF/ANSI 14 | |
| Jponor PP-RCT Fitting Reducer, 2 /2" x 1/2 | PR4772550 | | NSF-14 | |
| Jponor PP-RCT Fitting Reducer, 2 /2" x 3/4 | PR4772575 | | NSF-14 | |
| Jponor PP-RCT Fitting Reducer, 3" x 1/2 | PR4773015 | | NSF/ANSI 14 | |
| Jponor PP-RCT Fitting Reducer, 3" x | PR4773020 | | NSF/ANSI 14 | |
| Jponor PP-RCT Fitting Reducer, 3" x 2.1/2 | PR4773025 | | NSF/ANSI 14 | |
| Jponor PP-RCT Fitting Reducer, 3/4" . 1/2 | PR4777550 | | NSF-14 | |
| Jponor PP-RCT Fitting Reducer, 1" x 1/4 | PR4771075 | | NSF-14 | |
| Jponor PP-RCT Fitting Reducer, 1 /2" x 3/4 | PR4771575 | | NSF-14 | |
| Jponor PP-RCT Fitting Reducer, 4" x ", SDR 11 | PR114774030 | | NSF-14 | |
| Jponor PP-RCT Fitting Reducer, 4" x | PR94774025 | | NSF-14 | |
| 1/2", SDR 9 | | | | |

PR94774030

Installation Related applications

Use approved socket-fusion connection methods. Refer to the Uponor PP-RCT manual for complete details.

Hydronic heating and cooling systems

Industrial

| Footnotes | Contact information | | |
|-----------|------------------------|-------------------------|--|
| | Uponor Inc. | Uponor Ltd. | |
| | 5925 148th Street West | 6510 Kennedy Road | |
| • | Apple Valley, MN 55124 | Mississauga, ON L5T 2X4 | |
| | T 800.321.4739 | T 888.594.7726 | |
| | F 952.891.2008 | F 800.638.9517 | |