
Tuotekortti




GF Uponor Vario sulkuventtiili, kulma (pari) Rp 3/4" - G1"

1086559

- Sopii Vario S RST -jakotukkiin





Tietoa GF Uponor Vario sulkuventtiilipari, kulma

Erittely


- Components made of brass, nickel-plated brass, steel, and engineered plastics
- Eurocone, threaded, and flat-sealing connections
- Compatible with Vario B, C, S, M, PLUS, and MAGNA manifolds
- Includes valves, flowmeters, air vents, actuators, and adapters
- Designed for heating and cooling applications


Sovellus

- Completion and extension of Vario manifold installations
- Flow regulation, balancing, and shut-off
- Connection of PEX, MLCP, and composite pipes
- Integration of actuators, sensors, and control units
- Commissioning, maintenance, and system optimization

GF Uponor Vario sulkuventtiili, kulma (pari) Rp 3/4" - G1"

1086559





Measurements

Sylinterimäinen_lanka_G	1
Ulkokierre Rp	3/4
Pituus (l1)	31
Pituus (l2)	123
Pituus (l3)	51,5
Ulkohalkaisija_do	33
Z Mittaus h	42,5
Z Mittaus w	60
z1	22
Z2	93
Z3	32,5

Product code

Item no EAN	4021598135406
Item no GF	35001086559
Item no GTIN	04021598135406
Item no LVI	2024554
Item no VVS	046231320

Mitat

Tuote Yksikön korkeus	130
Tuote Yksikön pituus	95
Tuote Yksikköpaino	0,78
Tuote Yksikön leveys	70
Item_UOM	set

Packaging

Pakkaus GTIN PL1	06414905232598

Pakkauksen korkeus PL1	130
Pakkauksen pituus PL1	115
Pakkausmäärä PL1	1
Pakkaustyyppi PL1	Base_Box
Pakkaustilavuus PL1	0,0010465
Pakkauksen paino PL1	0,788
Pakkauksen leveys PL1	70

Tekniset dokumentit

Lataa dokumentit tästä

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Suomi Oy, Uponor Infra Oy

Kouvolantie 365
15560, Nastola
Suomi

T +358 (0)20 129 211
E asiakaspalvelu.fi@georgfischer.com

www.uponor.com/fi-fi

+GF+