

**Date of valid edition**

2026-01-21

**No./Revision:****4069-15****Date of first issue:**

2009-12-15

**Name and address of certificate holder**

Conformity marks covered by the certificate:

**Uponor Infra Oy**  
**P.O. Box 21**  
**FI-15561 NASTOLA**

**Information regarding the certificate holder/manufacturer**

<b>Contact person</b>  Jaana Hallikas	<b>Telephone</b> +358 20 129 211  <b>E-mail</b> jaana.hallikas@georgfischer.com	
<b>Manufacturer</b>	<b>Place of manufacture</b>  Nastola, Finland	

**Product covered by the certificate**

<b>Type of product</b>  Plastic piping systems for non-pressure underground drainage and sewerage. Unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE).	<b>Standard/Normative document</b> EN 13598-2	<b>Specific rules</b> SBC 13598-2
<b>Specification of product</b>  Uponor chamber system according to annex 1. Approved sealing rings and raw materials according to annex 2 (confidential).		

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is validvälimuuhv on the condition that the certificate holder complies with "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new "date of valid edition" only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months' notice on the part of the certificate holder and the certification body. Information of valid certificates is available on INSTA-CERT homepage, [www.insta-cert.net](http://www.insta-cert.net).

The certificate is not transferable.

**MEMBER OF INSTA-CERT:**

KIWA SERTIFIOINTI OY

Maija Vanttaja, Managing Director

Certificate No.

4069-15

Date

2026-01-21

**Certificate holder**

Uponor Infra Oy  
 P.O. Box 21  
 FI-15561 NASTOLA

Trade name

**Uponor inspection chamber PP**

Raw material

PP

	Model 1	Model 2	Model 3	Model 4	Model 4
Base part, OD	400 mm	400 mm	550 mm	550 mm	550 mm
				Intermediate cone	Intermediate cone
Riser socket, ID	315 and 425 mm	315 and 425 mm	600 mm	425 mm	
Riser socket, OD	With and without sealing ring groove 400 mm	With and without sealing ring groove 400 mm	560 mm •Type 1 •Type 2		With and without sealing ring groove 400 mm
Connections/ Types	110 mm / T1-T4 160 mm / T2 160 mm also as a Flex Joint	160 mm / T1-T4 200 mm / T1-T4	200 mm / T1-T4 250 mm / T1-T4 315 mm / T1-T4	250 mm / T1-T4 315 mm / T1-T4	250 mm / T1-T4 315 mm / T1-T4
Installation depth max.	6 m	6 m	6 m	6 m	6 m
Groundwater level, max	5 m	5 m	5 m	5 m	5 m
Designation of production place	1	1	1	1	1

