

Date of valid edition

2021-08-25

No./Revision:

4010-09

Date of first issue:

2005-06-20

Name and address of certificate holder

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

Conformity marks covered by the certificate:



Information regarding the certificate holder/manufacturer

Contact person Jaana Hallikas	Telephone +358 20 129 211	
	E-mail jaana.hallikas@uponor.com	
Manufacturer	Place of manufacture Nastola, Finland	

Product covered by the certificate

Type of product Plastic piping systems for soil and waste discharge (low and high temperature) within the building structure. Polypropylene (PP).	Standard/Normative document EN 1451-1	Specific rules SBC 1451-1
Specification of product  Plastic piping systems for soil and waste discharge within the building structure according to annex 1. Approved raw materials and sealings according to annex 2 (confidential). Inspection of production place: VTT/RTE4827/05		

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new "date of valid edition" only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months' notice on the part of the certificate holder and the certification body. Information of valid certificates is available on INSTA-CERT homepage, [www.insta-cert.net](http://www.insta-cert.net).

The certificate is not transferable.

MEMBER OF INSTA-CERT:  
INSPECTA CERTIFIIOINTI OY

Maija Vanttaja, Managing Director

Certificate No. **4010-09**

Date 2021-08-25

---

**Certificate holder**

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

---

**Fittings:**

Trade name UPONOR HTP

Fitting group **Bends**

Application area/Pipe series B/S16  
Dimensions 32 – 50  
- size group 1

Application area/Pipe series BD/S16  
Dimensions 75 – 160  
- size group 2

Fitting group **Branches**

Application area/Pipe series B/S16  
Dimensions 32 – 50  
- size group 1

Application area/Pipe series BD/S16  
Dimensions 75 – 160  
- size group 2

Fitting group **Other fittings**

Application area/Pipe series B/S16  
Dimensions 32 – 50  
- size group 1

Application area/Pipe series BD/S16  
Dimensions 75 – 160  
- size group 2

Designation of production place 1

**Pipes:**

Application area B  
Pipe series S16  
Dimensions, mm 32 - 50  
- size group 1

**Date of valid edition**

2021-01-13

**No./Revision:****4032-07****Date of first issue:**

2005-11-08

**Name and address of certificate holder**

**Uponor Infra Oy**  
**P.O. Box 21**  
**FI-15561 NASTOLA**

Conformity marks covered by the certificate:

**Information regarding the certificate holder/manufacture**

<b>Contact person</b>  Jaana Hallikas	<b>Telephone</b> +358 20 129 211	
	<b>E-mail</b> jaana.hallikas@uponor.com	
<b>Manufacturer</b>	<b>Place of manufacture</b>  Kausala, Finland	

**Product covered by the certificate**

<b>Type of product</b> Plastic piping systems for soil and waste discharge (low and high temperature) within the building structure. Polypropylene (PP).	<b>Standard/Normative document</b> EN 1451-1	<b>Specific rules</b> SBC 1451
<b>Specification of product</b>  Plastic piping systems for soil and waste discharge (low and high temperature) within the building structure - Polypropylene (PP) according to annex 1. Approved raw materials and sealings according to annex 2 (confidential).		

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new "date of valid edition" only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months' notice on the part of the certificate holder and the certification body. Information of valid certificates is available on INSTA-CERT homepage, [www.insta-cert.net](http://www.insta-cert.net).

The certificate is not transferable.

**MEMBER OF INSTA-CERT:**  
INSPECTA CERTIFIIOINTI OY

Maija Vanttaja, Managing Director

**Annex 1**

Sivu 1 (1)

Certificate No. **4032-07**

Date 2021-01-13

---

**Certificate holder**

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

---

**PIPES:**

Pipe type	socket pipe, white
Pipe series	S16
Application area	B
Dimensions, mm	32 – 50
- size group 1	

**FITTINGS:**

Trade name	<b>UPONOR HTP</b>
Fitting group	Bends
Pipe series	S16
Application area/	BD
Dimensions, mm	75 – 160
- size group 2	
Fitting group	Other
Pipe series	S16
Application area	BD
Dimensions, mm	75 – 160
- size group 2	
Designation of production place	B1

Date of valid edition

2021-08-25

No./Revision:

**4048-10**

Date of first issue:

2007-04-02

Name and address of certificate holder

**Uponor Infra Oy**  
**P.O. Box 21**  
**FI-15561 NASTOLA**

Conformity marks covered by the certificate:



Information regarding the certificate holder/manufactur

Contact person  Jaana Hallikas	Telephone +358 20 129 211	
	E-mail jaana.hallikas@uponor.com	
Manufacturer	Place of manufacture  Nastola, Finland	

Product covered by the certificate

Type of product Plastic piping systems for soil and waste discharge (low and high temperature) within the building structure. Polypropylene with mineral modifiers (PP-MD).	Standard/Normative document NPG/PS 102	Specific rules SBC PS 102
Specification of product  Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure – Polypropylene with mineral modifiers (PP-MD) according to Annex 1. Approved recipes and fittings according to Annex 2 (confidential).		

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new "date of valid edition" only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months' notice on the part of the certificate holder and the certification body. Information of valid certificates is available on INSTA-CERT homepage, [www.insta-cert.net](http://www.insta-cert.net).

The certificate is not transferable.

**MEMBER OF INSTA-CERT:**  
**INSPECTA CERTIFIIOINTI OY**

Maija Vanttaja, Managing Director

Certificate No. **4048-10**

Date 2021-08-25

---

**Certificate holder**

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

---

Trade name	<b>UPONOR plastics piping system for soil and waste discharge within the building structure</b>
------------	---

Material	PP
----------	----

Pipe series	S16
-------------	-----

Application area	B
Ring stiffness	SN 4
- Dimensions, mm (size group 1)	32 - 50

Application area	BD
Ring stiffness	SN 4
- Dimensions, mm (size group 2)	75

Application area	BD
Ring stiffness	SN 8
- Dimensions, mm (size group 2)	110

**Date of valid edition**

2021-04-13

**No./Revision:****4064-07****Date of first issue:**

2008-10-29

**Name and address of certificate holder**

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

Conformity marks covered by the certificate:

**Information regarding the certificate holder/manufacturer**

<b>Contact person</b>  Jaana Hallikas	<b>Telephone</b> +358 20 129 211	
	<b>E-mail</b> jaana.hallikas@uponor.com	
<b>Manufacturer</b>	<b>Place of manufacture</b>  Kausala, Finland	

**Product covered by the certificate**

<b>Type of product</b> Plastic piping systems for soil and waste discharge (low and high temperature) within the building structure. Polypropylene with mineral modifiers (PP-MD).	<b>Standard/Normative document</b> NPG/PS 102	<b>Specific rules</b> SBC PS 102
<b>Specification of product</b>  Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure – Polypropylene with mineral modifiers (PP-MD) according to Annex 1. Approved recipes and fittings according to Annex 2 (confidential).		

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new "date of valid edition" only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months' notice on the part of the certificate holder and the certification body. Information of valid certificates is available on INSTA-CERT homepage, [www.insta-cert.net](http://www.insta-cert.net).

The certificate is not transferable.

**MEMBER OF INSTA-CERT:**  
INSPECTA CERTIFIJOINTI OY

Maija Vanttaja, Managing Director

**Annex 1**

Sivu 1 (1)

Certificate No. **4064-07**

Date 2021-04-13

---

**Certificate holder**

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

---

**Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure – Polypropylene with mineral modifiers (PP-MD)**

Trade name	UPONOR PP-MD
Product type	Socket pipe
Pipe series	S16
Ring stiffness	SN4
Application area	B
Dimensions, mm	32 - 50
- size group 1	
Ring stiffness	SN4
Application area	BD
Dimensions, mm	75 - 160
- size group 2	
Designation of production place	B1



Date of valid edition

2019-08-12

No./Revision:

4049-02

Date of first issue:

2007-04-05

Name and address of certificate holder

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

Conformity marks covered by the certificate:



Information regarding the certificate holder/manufacturer

Contact person  Jaana Hallikas	Telephone + 358 20 129 211	Telefax + 358 20 129 210
	E-mail jaana.hallikas@uponor.com	
Manufacturer	Place of manufacture  Fristad, Sweden	

Product covered by the certificate

Type of product Plastic piping systems for soil and waste discharge (low and high temperature) within the building structure. Polypropylene with mineral modifiers (PP-MD).	Standard/Normative document NPG/PS 102	Specific rules SBC PS 102
Specification of product  Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure – Polypropylene with mineral modifiers (PP-MD) according to Annex 1. Approved recipes and fittings according to Annex 2 (confidential).		

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new "date of valid edition" only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months' notice on the part of the certificate holder and the certification body. Information of valid certificates is available on INSTA-CERT homepage, [www.insta-cert.net](http://www.insta-cert.net).

The certificate is not transferable.

MEMBER OF INSTA-CERT:  
INSPECTA SERTIFIIOINTI OY

Mikko Törmänen, Managing Director

Certificate No. **4049-02**

Date 2019-08-12

---

**Certificate holder**

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

---

<b>Trade name</b>	<b>UPONOR plastics piping system for soil and waste discharge within the building structure</b>
-------------------	---

Material	PP
Pipe series	S16

Application area	BD
Ring stiffness	SN 8
- Dimensions, mm (size group 2)	110

**Date of valid edition**

2020-04-24

**No./Revision:****4004-06****Date of first issue:**

2005-05-30

**Name and address of certificate holder**

**Uponor Infra Oy**  
**P.O. Box 21**  
**FI-15561 NASTOLA**

Conformity marks covered by the certificate:



**Marks regarding products in contact with drinking water:**

**Information regarding the certificate holder/manufacturer**

<b>Contact person</b>  Jaana Hallikas	<b>Telephone</b> +358 20 129 211	
	<b>E-mail</b> jaana.hallikas@uponor.com	
<b>Manufacturer</b>	<b>Place of manufacture</b>  Nastola, Finland	

**Product covered by the certificate**

<b>Type of product</b> Plastic piping systems for non-pressure underground drainage and sewerage. Polypropylene (pp).	<b>Standard/Normative document</b> EN 1852-1	<b>Specific rules</b> SBC 1852
<b>Specification of product</b>  Plastic piping systems for non-pressure underground drainage and sewerage - Polypropylene (PP) according to annex 1. Approved raw materials and sealings according to annex 2 (confidential).		

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new "date of valid edition" only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months' notice on the part of the certificate holder and the certification body. Information of valid certificates is available on INSTA-CERT homepage, [www.insta-cert.net](http://www.insta-cert.net).

The certificate is not transferable.

**MEMBER OF INSTA-CERT:**  
**INSPECTA CERTIFIJOINTI OY**

Mikko Törmänen, Managing Director

**Annex 1**

Sivu 1 (1)

Certificate No. **4004-06**

Date 2020-04-24

---

**Certificate holder**

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

---

Product name	<b>Uponor underground drainage system PP</b>
Application area/Pipe series	UD/S16
Ring stiffness	SN 4
Designation of production place	U1
Fitting groups	Bends, branches and other fittings
Dimensions, mm - size group 1	110 - 160