

**Date of valid edition**

2021-05-07

**No./Revision:****4039-27****Date of first issue:**

1995-05-30

**Name and address of certificate holder****Uponor Infra Oy**  
**P.O. Box 21**  
**FI-15561 NASTOLA**

Conformity marks covered by the certificate:

**Information regarding the certificate holder/manufacturer**

<b>Contact person</b> Jaana Hallikas	<b>Telephone</b> +358 20 129 211	
	<b>E-mail</b> jaana.hallikas@uponor.com	
<b>Manufacturer</b>	<b>Place of manufacture</b> Nastola, Finland	

**Product covered by the certificate**

<b>Type of product</b>	<b>Standard/Normative document</b>	<b>Specific rules</b>
Plastic piping systems for non-pressure underground drainage and sewerage. Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE).	EN 13476	SBC 13476
<b>Specification of product</b> Structured-wall piping systems of polypropylene (PP) and polyethylene (PE) according to annex 1. Approved raw materials and sealings according to annex 2 (confidential). Inspection of production: VTT-S-05300-06, SP FX112026.		

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new "date of valid edition" only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months' notice on the part of the certificate holder and the certification body. Information of valid certificates is available on INSTA-CERT homepage, [www.insta-cert.net](http://www.insta-cert.net).

The certificate is not transferable.

**MEMBER OF INSTA-CERT:**  
INSPECTA CERTIFIJOINTI OY

Maija Vanttaja, Managing Director

Certificate No. **4039-27**

Date 2021-05-07

---

**Certificate holder**

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

---

**UPONOR sewer system**

Material

Wall construction type

Colour

- outer layer

- inner layer

**Duplex**

PP

B

reddish brown or black

grey or green

**Pipes:**

Ring stiffness

SN 8

Application area

Diameters/OD, mm  
(- size groups 1 - 2)

UD

160 - 315

Application area

Diameters/OD, mm  
(- size group 2)

U

400

**Trade name**

Material

Wall construction type

Colour

- outer layer

- inner layer

**UPONOR IQ pipes**

PP

B

black

grey or white

Ring stiffness

SN 8

Application area

Dimensions/ID; mm  
(- size group 2)

U

400 and 500

Application area

Dimensions/OD; mm  
(- size groups 1 - 2)

UD

200, 250 and 315

**Trade name**

Material

Wall construction type

Colour

- outer layer

- inner layer

**UPONOR Ultra Double**

PP

B

brown

grey or white

Ring stiffness

SN 8

Certificate No. **4039-27**

Date 2021-05-07

---

**Certificate holder**

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

---

Application area - Dimensions/OD; mm (- size groups 2 - 3)	U 450 and 560
Application area - Dimensions/OD; mm (- size groups 1 - 2)	UD 200, 250 and 315
<b>UPONOR underground drainage</b>	<b>Ultra Classic</b>
Material	PP
Wall construction type	A1
Colour - outer layer - inner layer	brown or black brown, grey or white
Pipes: With and without sockets	
Application area Ring stiffness	UD SN 4 and SN 8
Diameters/OD, mm (- size group 1)	110 - 200
Ring stiffness	SN 8
Diameters/OD, mm (- size group 2)	250 - 400
FITTINGS:	
<b>UPONOR sewer system</b>	<b>Ultra Rib 2</b>
Material	PP
Wall construction type	B
Colour Ring stiffness	reddish brown SN 8
Application area	UD
Bends, Branches and Other fittings: Diameters/OD, mm (- size groups 1 - 2)	160 - 315
Application area	U

**Annex 1**

Sivu 2 (3)

Certificate No. **4039-27**

Date 2021-05-07

---

**Certificate holder**

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

---

Bends, Branches and Other  
fittings:

Diameters/OD, mm 400 - 500  
(- size group 2)

Designation of production place 1

**Date of valid edition**

2021-10-13

**No./Revision:****4077-24****Date of first issue:**

2010-05-31

**Name and address of certificate holder****Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA**

Conformity marks covered by the certificate:

**Information regarding the certificate holder/manufacturer**

<b>Contact person</b> Jaana Hallikas	<b>Telephone</b> +358 20 129 211	
	<b>E-mail</b> jaana.hallikas@uponor.com	
<b>Manufacturer</b>	<b>Place of manufacture</b> Fristad, Sweden	

**Product covered by the certificate**

<b>Type of product</b> Plastic piping systems for non-pressure underground drainage and sewerage. Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE).	<b>Standard/Normative document</b> EN 13476	<b>Specific rules</b> SBC 13476
<b>Specification of product</b> Non-pressure underground PP and PE pipes and fittings according to Annex 1. Approved raw materials according to Annex 2 (confidential).		

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new "date of valid edition" only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months' notice on the part of the certificate holder and the certification body. Information of valid certificates is available on INSTA-CERT homepage, [www.insta-cert.net](http://www.insta-cert.net). The certificate is not transferable.

**MEMBER OF INSTA-CERT:**  
INSPECTA CERTIFIJOINTI OY

Maija Vanttaja, Managing Director

**Annex 1**

Sivu 1 (1)

Certificate No. **4077-24**

Date 2021-10-13

**Certificate holder**

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

**APPROVED PRODUCTS**

<b>UPONOR UNDERGROUND DRAINAGE</b>					
Trade name	<b>UPONOR IQ pipes</b>	<b>UPONOR Ultra Double</b>	<b>Ultra Rib 2 and Ultra Rib 2 Blue</b>	<b>Ultra Classic pipes</b>	<b>Uponor Weholite PE pipes</b>
Material	PP	PP	PP	PP	PE
Colour					black
- outer layer	black	brown	reddish brown	brown or black	
- inner layer	grey and white	grey and white	grey	brown, grey or white	
Wall construction	B	B	B	A1	A2
Ring stiffness	SN 8	SN 8	SN 8	SN4 and SN8	SN4 and SN8
Application area	UD				
- Dimensions/OD; mm (- size group 1 and 2)	200, 250 and 315	200, 250 and 315	110 - 315	110 and 160	
- Dimensions/ID; mm (- size groups 1 and 2)	200 and 300				
Application area	U				
- Dimensions/OD; mm (- size group 2 and 3)		450 and 560	400 - 1200		
- Dimensions/ID; mm (- size group 2 and 3)	400, 500, 600 and 800				400 - 1000
- Dimensions/ID; mm (- size group 3)		600			
Pipes without socket - Dimensions/ID, mm (- size group 3)					1200
Designation of production place	5				

Date of valid edition                      No./Revision:  
 2019-07-02                                      4075-05  
 Date of first issue:  
 2010-04-28

Name and address of certificate holder

Uponor Infra Oy  
 P.O. Box 21  
 FI-15561 NASTOLA

Conformity marks covered by the certificate:



Marks regarding products in contact with drinking water:

Information regarding the certificate holder/manufacture

Contact person  Jaana Hallikas	Telephone +358 20 129 211	Telefax +358 20 129 210
	E-mail                      jaana.hallikas@uponor.com	
Manufacturer	Place of manufacture  Vaasa, Finland	

Product covered by the certificate

Type of product Plastic piping systems for non-pressure underground drainage and sewerage.	Standard/Normative document EN 13476	Specific rules SBC 13476
Specification of product  Structured-wall PE pipes according to Annex 1. Approved raw materials according to Annex 2 (confidential).		

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new "date of valid edition" only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months' notice on the part of the certificate holder and the certification body. Information of valid certificates is available on INSTA-CERT homepage, [www.insta-cert.net](http://www.insta-cert.net).

The certificate is not transferable.

**MEMBER OF INSTA-CERT:**  
 INSPECTA SERTIFIJOINTI OY

Mikko Törmänen, Managing Director

Certificate No. **4075-05**

Date 2019-07-02

---

**Certificate holder**

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA

---

Trade name	<b>Weholite</b>
Material	<b>PE</b>
Wall construction	A2
<b>PIPES:</b>	
Ring stiffness	SN4 and SN 8
Application area Diameters/OD; mm - size group 2	UD 315
Application area Diameters/OD; mm - size group 2 Diameters/ID; mm - size groups 2 and 3	U 400 400 - 1200
<b>SOCKET PIPES:</b>	
Ring stiffness	SN4 and SN8
Application area Diameters/OD; mm - size group 2	UD 315
Application area Diameters/OD; mm - size group 2 Diameters/ID; mm - size groups 2 and 3	U 400 400 - 1000



**Date of valid edition**

2019-11-11

**No./Revision:****4086-04****Date of first issue:**

2012-03-09

**Name and address of certificate holder****Uponor Infra Oy**  
**P.O. Box 21**  
**FI-15561 NASTOLA**

Conformity marks covered by the certificate:

**Information regarding the certificate holder/manufacturer**

<b>Contact person</b> Jaana Hallikas	<b>Telephone</b> +358 20 129 211	
	<b>E-mail</b> jaana.hallikas@uponor.com	
<b>Manufacturer</b>	<b>Place of manufacture</b> Kausala, Finland	

**Product covered by the certificate**

<b>Type of product</b> Plastic piping systems for non-pressure underground drainage and sewerage. Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE).	<b>Standard/Normative document</b> EN 13476-2	<b>Specific rules</b> SBC 13476
<b>Specification of product</b> Structured-wall piping systems of polypropylene (PP) according to annex 1. Approved raw materials according to annex 2 (confidential). Inspection of production: SP FX201414A.		

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new "date of valid edition" only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months' notice on the part of the certificate holder and the certification body. Information of valid certificates is available on INSTA-CERT homepage, [www.insta-cert.net](http://www.insta-cert.net).

The certificate is not transferable.

**MEMBER OF INSTA-CERT:**  
INSPECTA CERTIFIJOINTI OY

Mikko Törmänen, Managing Director

Certificate No. **4086-04**

Date 2019-11-11

---

**Certificate holder**

Uponor Infra Oy  
P.O. Box 21  
FI-15561 NASTOLA, FINLAND

---

**STRUCTURED WALL PIPES, PP**

Trade name	<b>Uponor underground drainage Ultra Classic</b>
Product type	Socket pipe
Material	PP
Colour	
- outer layer	brown and black
- inner layer	brown, grey or white
Wall construction	A
Application area	UD
Diameters/OD, mm	110
- size group 1	
Ring stiffness	SN 4
Designation of production place	B1

Date of valid edition

2018-11-07

No./Revision:

4088-06

Date of first issue:

2013-07-03

Name and address of certificate holder

Conformity marks covered by the certificate:

Jita Oy  
Lakarintie 10  
34800 VIRRAT



Information regarding the certificate holder/manufacture

Contact person Tapio Lähteenmaa	Telephone +358 3 475 6100	Telefax +358 3 475 4040
	E-mail tapio.lahteenmaa@jita.fi	
Manufacturer	Place of manufacture Virrat, Finland	

Product covered by the certificate

Type of product Plastic piping systems for non-pressure underground drainage and sewerage. Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE).	Standard/Normative document EN 13476	Specific rules SBC 13476
Specification of product Non-pressure underground piping systems, structured wall structure according to Annex 1. Approved raw materials according to Annex 2 (confidential). Inspection of production place: VTT-S-07047-12.		

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with "General rules for certification by partners of INSTA-CERT" (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new "date of valid edition" only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months' notice on the part of the certificate holder and the certification body. Information of valid certificates is available on INSTA-CERT homepage, [www.insta-cert.net](http://www.insta-cert.net).

The certificate is not transferable.

**MEMBER OF INSTA-CERT:**  
INSPECTA CERTIFIJOINTI OY

Mikko Törmänen, Managing Director

Certificate No. **4088-06**

Date 2018-11-07

---

**Certificate holder**

Jita Oy  
Lakarintie 10  
34800 VIRRAT

---

**NON-PRESSURE UNDERGROUND PIPING SYSTEMS,  
STRUCTURED WALL STRUCTURE**

Wall construction	B
Ring stiffness	SN8
Material	PP
Colour	
-Outer layer	black with green stripes
-Inner layer	white
Application area	UD
Trade name	Jita Tupla / Uponor IQ
Dimensions DN/ID, mm	150
- size group 1	
Application area	U
Trade name	Jita Tupla / Uponor IQ
Dimensions DN/ID, mm	250
- size group 2	
Trade name	Jita Isotupla / Uponor IQ
Dimensions DN/ID, mm	400 and 500
- size groups 2 and 3	
Dimensions/ID, mm	600 and 800
- size group 3	
Trade name	Jita Tupla Pro
Material	PE
Colour	black with green stripes
Application area	UD
Dimensions DN/OD, mm	200
- size group 1	
Application area	U
Dimensions DN/OD, mm	250, 315 and 400
- size group 2	