

Uponor

Build on Uponor with Reno Port

Prefabricated solutions for successful renovation and
new-build projects



Uponor Reno Port – your guarantee for successful bathroom renovation

Prefabricated solution for sequential renovation of apartment blocks and other tall buildings

- **Complete**
 - tap water pipes (CW, HW, HWC)
 - drain pipes with complete branches
 - built-in distribution unit with shut-off controls
 - prepared for water meters
- **Time-saving**
 - all internal piping factory-fitted
 - pre-insulated pipes
- **Quick and easy installation**
 - few steps with clear, simple instructions
 - telescopic connection for easy adjustment
 - snap-coupling between floors
- **Adapted for height and corners**
 - adaptations for height of toilet seat
 - adequate space to wall for corner mounting
- **Choose between several standard finishes**
 - tiled or painted sheet in any RAL colour
- **Thoroughly tested**
 - heating requirement for cold water achieved with a generous margin
 - low noise level with Uponor Decibel, the most advanced sound-insulated indoor drain on the market
- **Leak indicator built-in**
 - rapid leak detection
- **Self-cleaning flush system**
 - minimises the risk of lime deposits

It is important that the residents are satisfied with the end result of repairs, extension renovations and new builds. The work also has to be done quickly and smoothly – important factors throughout the whole value chain.

The high degree of prefabrication in the Uponor Reno Port reduces work on site, which can be directly translated into reduced time, costs and risks.

We thought a lot about adaptability, ease of installation, safety and quality when developing the cassette. And in addition to standard requirements, the product has been tested thoroughly to fulfil building standard requirements for noise levels and unintentional heating of cold water.

High flexibility and simplified installation with smart connection

The Uponor cassette can be left- or right-mounted for corner installation, or with a mid-placed toilet for mounting along a wall – using the same standard measurements for all variants.



Few installation steps mean fast, smooth and simple installation.

When installing the cassette in a corner, the selected orientation automatically provides the necessary gap as standard – 400 mm from the centre of the toilet bowl to the abutting wall.

The product contains internal tap water and drain connectors for direct connection to the wash basin beside it.

To simplify connection between apartments, they can be connected using Uponor's RTM coupling. A technique that requires no tools at all to make a secure fit. The pipe is simply fitted into the coupling until a click can be heard.



Mid-position cassette with sheet surface.



Corner-mounted cassette with tiled surface.



Uponor Reno Port optimises the building process. A high degree of prefabrication saves time on site, as the installer only has to make the necessary connections.

Uponor

Uponor AB
Uponor VVS
Box 2
721 03 Västerås

T 0223-380 00
W www.uponor.se

16003/10/2017



www.uponor.se/prefab