

all products. one place.



Under-plaster Manifold Cabinets Changes in Production Technology



**FINISHING
PRECISION**

✓ high quality
product

✓ faster production
process

✓ innovative
product

We present new cabinet models in our portfolio designed to improve the overall quality and appearance of the final product


Innovations in our manufacturing process of the Compact and Standard Concealed Cabinets eliminate any previous deficiencies of the frame connection points. This change has a tremendous impact on the appearance of the final product. Uniform structure of the frame and absence of thermal interference in its design ensure high product durability and eliminate areas of high corrosion risk. We still use the services of the same suppliers and high strength materials which undergo regular quality tests.

These changes in production technology enable

- ✓ Higher Production Output
- ✓ Faster Order Fulfilment
- ✓ Higher Precision Finish
- ✓ Higher Overall Cabinet Quality



Design of Capricorn Under-plaster Cabinets



*available only for COMPACT CABINETS w/MASKING PANEL (9-352X-__-02-35-01)

CAPRICORN UNDER-PLASTER CABINET SPECIFICATIONS

CABINET'S MODEL	PREVIOUS INDEX	CURRENT INDEX	PREVIOUS HOUSING DIMENSIONS (mm)			CURRENT HOUSING DIMENSIONS (mm)		
			width	height	depth	width	height	depth
COMPACT WITH MASKING FRAME X:1 - coin-operated lock X:2 - key-operated lock	9-352X-335-00-35-01	9-352X-335-02-35-01	335	580	110	335	560	110
	9-352X-435-00-35-01	9-352X-435-02-35-01	435	580	110	435	560	110
	9-352X-535-00-35-01	9-352X-535-02-35-01	535	580	110	535	560	110
	9-352X-635-00-35-01	9-352X-635-02-35-01	635	580	110	635	560	110
	9-352X-735-00-35-01	9-352X-735-02-35-01	735	580	110	735	560	110
	9-352X-835-00-35-01	9-352X-835-02-35-01	835	580	110	835	560	110
	9-352X-935-00-35-01	9-352X-935-02-35-01	935	580	110	935	560	110
	9-352X-035-00-35-01	9-352X-035-02-35-01	1035	580	110	1035	560	110
COMPACT X:1 / Y:0 - coin-operated lock X:2 / Y:2 - key-operated lock	9-352X-350-00-35-01	9-352X-335-2Y-35-01	350	580	110	335	560	110
	9-352X-450-00-35-01	9-352X-435-2Y-35-01	450	580	110	435	560	110
	9-352X-600-00-35-01	9-352X-635-2Y-35-01	600	580	110	635	560	110
	9-352X-750-00-35-01	9-352X-735-2Y-35-01	750	580	110	735	560	110
	9-352X-900-00-35-01	9-352X-935-2Y-35-01	900	580	110	935	560	110
	9-352X-103-00-35-01	9-352X-035-2Y-35-01	1030	580	110	1035	560	110
	9-352X-113-00-35-01	9-352X-135-2Y-35-01	1130	580	110	1135	560	110
COMPACT DIY coin-operated lock	9-3421-350-00-35-01	9-3421-335-20-35-01	350	580	82	335	560	82
	9-3421-450-00-35-01	9-3421-435-20-35-01	450	580	82	435	560	82
	9-3421-600-00-35-01	9-3421-635-20-35-01	600	580	82	635	560	82
	9-3421-750-00-35-01	9-3421-735-20-35-01	750	580	82	735	560	82
	9-3421-900-00-35-01	9-3421-935-20-35-01	900	580	82	935	560	82
	9-3421-103-00-35-01	9-3421-035-20-35-01	1030	580	82	1035	560	82
	9-3421-113-00-35-01	9-3421-135-20-35-01	1130	580	82	1135	560	82
STANDARD Y: 0 - plastic coin-operated lock Y:1 - metal coin-operated lock	9-3501-400-00-35-01	9-3501-400-2Y-35-01	400	689	110	400	649	110
	9-3501-450-00-35-01	9-3501-435-2Y-35-01	450	689	110	435	649	110
	9-3501-530-00-35-01	9-3501-535-2Y-35-01	530	689	110	535	649	110
	9-3501-680-00-35-01	9-3501-680-2Y-35-01	680	689	110	680	649	110
	9-3501-830-00-35-01	9-3501-835-2Y-35-01	830	689	110	835	649	110
	9-3501-103-00-35-01	9-3501-035-2Y-35-01	1030	689	110	1035	649	110
	9-3501-113-00-35-01	9-3501-135-2Y-35-01	1130	689	110	1135	649	110
STANDARD SHALLOW Y: 0 - plastic coin-operated lock Y:1 - metal coin-operated lock	9-3511-400-00-35-01	9-3511-400-2Y-35-01	400	689	80	400	649	80
	9-3511-450-00-35-01	9-3511-435-2Y-35-01	450	689	80	435	649	80
	9-3511-530-00-35-01	9-3511-535-2Y-35-01	530	689	80	535	649	80
	9-3511-680-00-35-01	9-3511-680-2Y-35-01	680	689	80	680	649	80
	9-3511-830-00-35-01	9-3511-835-2Y-35-01	830	689	80	835	649	80
	9-3511-103-00-35-01	9-3511-035-2Y-35-01	1030	689	80	1035	649	80
	9-3511-113-00-35-01	9-3511-135-2Y-35-01	1130	689	80	1135	649	80