Produktdatablad (pdf)



GF Uponor Magna Fordeler med ventil 2x25

1121536

- For connection with additional segments and basic kit
- Supply-segment with control valves for preadjustment
- Return-segment with thermostat upper section incl. cap for locking
- Uponor actuator can be mounted directly on the return
- Heating loop connection for PE-Xa Pipe 25x2,3 with compression adapter







Om GF Uponor Magna Fordeler med ventil

Spesifikasjon

- Magna fordelersystem for store arealer
- Sløyfer 2-5 6-9 10-14 15-19 20
- brakett 2 3 4 5 6
- avstand mellom avstikk er 100 mm.

Søknad

- Oppvarming av store arealer.
- for bruk i betong
- maks. 20 sløyfer
– maks. trykk: 6 bar ved 60°C

GF Uponor Magna Fordeler med ventil 2x25

1121536







Product code

Item no EAN	6414905660414
Item no GF	35001121536
Item no GTIN	06414905660414
Item no LVI	2022189
Item no NRF	8601847
Item no RSK	2989121
Item no VVS	046253211

Dimensjoner

Element Enhetshøyde	169
Vare Enhetslengde	226
Vare Enhetsvekt	1,322
Vareenhetsbredde	112
Item_UOM	STK

Measurements

LENGTH_L	225
Lengde (l1)	200
Lengde (l2)	62
Lengde (l3)	51
Length L4	52
Z Måling b	100
Z3	51

Packaging

Emballasje GTIN PL1	06414905663149
Emballasje GTIN PL4	06414905663446
Emballasjehøyde PL1	175

Emballasjehøyde PL4	900
Emballasjelengde PL1	235
Emballasjelengde PL4	1200
Emballasje mengde PL1	1
Emballasje mengde PL4	90
Emballasjetype PL1	Base_Box
Emballasjetype PL4	Pallet
Emballasjevolum PL1	0,004935
Emballasjevolum PL4	0,864
Emballasjevekt PL1	1,392
Emballasjevekt PL4	149,28
Emballasjebredde PL1	120
Emballasjebredde PL4	800

Tekniske dokumenter

Last ned dokumenter her

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Norge AS

Karenslyst Allé 8B
0278, Oslo
Norge

T +47 64 95 66 00
E kundeservice.no.bfs@georgfischer.com

www.uponor.com/nb-no/vvs

+GF+