Produktdatablad (pdf)



GF Uponor Magna Fordeler med ventil 3x25

1121537

- For connection with additional segments and basic kit
- Supply-segment with control valves for preadjustment
- Return-segment with thermostat upper section incl. cap for locking
- Uponor actuator can be mounted directly on the return
- Heating loop connection for PE-Xa Pipe 25x2,3 with compression adapter





Om GF Uponor Magna Fordeler med ventil

Spesifikasjon

- Magna fordelersystem for store arealer
- Sløyfer 2-5 6-9 10-14 15-19 20
- brakett 2 3 4 5 6
- avstand mellom avstikk er 100 mm.

Søknad

- Oppvarming av store arealer.
- for bruk i betong
- maks. 20 sløyfer
– maks. trykk: 6 bar ved 60°C

GF Uponor Magna Fordeler med ventil 3x25

1121537





Product code

Item no EAN	6414905660421
Item no GF	35001121537
Item no GTIN	06414905660421
Item no LVI	2022190
Item no NRF	8601848
Item no RSK	2989122
Item no VVS	046253311

Dimensjoner

Element Enhetshøyde	169
Vare Enhetslengde	326
Vare Enhetsvekt	1,986
Vareenhetsbredde	112
Item_UOM	STK

Measurements

LENGTH_L	325
Lengde (l1)	300
Lengde (l2)	62
Lengde (l3)	51
Length L4	52
Z Måling b	100
Z3	51

Packaging

Emballasje GTIN PL1	06414905663125
Emballasje GTIN PL4	06414905663422
Emballasjehøyde PL1	175

Emballasjehøyde PL4	900
Emballasjelengde PL1	335
Emballasjelengde PL4	1200
Emballasje mengde PL1	1
Emballasje mengde PL4	60
Emballasjetype PL1	Base_Box
Emballasjetype PL4	Pallet
Emballasjevolum PL1	0,007035
Emballasjevolum PL4	0,864
Emballasjevekt PL1	2,076
Emballasjevekt PL4	148,56
Emballasjebredde PL1	120
Emballasjebredde PL4	800

Tekniske dokumenter

Last ned dokumenter her

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Norge AS

Karenslyst Allé 8B
0278, Oslo
Norge

T +47 64 95 66 00
E kundeservice.no.bfs@georgfischer.com

www.uponor.com/nb-no/vvs

+GF+