

GF Silenta premium sleeve socket 58mm

1146476

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium sleeve socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium sleeve socket 58mm

1146476



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652134253
Item no GF	4501505830121
Item no GTIN	08698652134253
Item no VVS	186867012

Dimensions

Item Unit Height	105
Item Unit Length	77
Item Unit Weight	0,221
Item Unit Width	77
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900601030
Packaging GTIN PL2	06414900267212
Packaging GTIN PL3	06414900051613
Packaging GTIN PL4	06414900246651
Packaging Height PL1	105
Packaging Height PL2	77
Packaging Height PL3	390
Packaging Height PL4	1200
Packaging Length PL1	77
Packaging Length PL2	308
Packaging Length PL3	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	4

Packaging Quantity PL3	52
Packaging Quantity PL4	1248
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000622545
Packaging Volume PL2	0,001826132
Packaging Volume PL3	0,089739
Packaging Volume PL4	1,152
Packaging Weight PL1	0,221
Packaging Weight PL2	0,894
Packaging Weight PL3	11,722
Packaging Weight PL4	300,808
Packaging Width PL1	77
Packaging Width PL2	77
Packaging Width PL3	590
Packaging Width PL4	800

Measurements

Z Measurement e	4,1
-----------------	-----

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com